Task: PER Permutation



Stage III. Day two. Source file per.* Available memory: 32 MB.

03.04.2008

Multiset is a mathematical object similar to a set, but each member of a multiset may have more than one membership. Just as with any set, the members of a multiset can be ordered in many ways. We call each such ordering a *permutation* of the multiset. For example, among the permutations of the multiset $\{1, 1, 2, 3, 3, 3, 7, 8\}$ there are (2, 3, 1, 3, 3, 7, 1, 8) and (8, 7, 3, 3, 3, 2, 1, 1).

We will say that one permutation of a given multiset is smaller (in lexicographic order) than another permutation, if on the first position that does not match the first permutation has a smaller element than the other one. All permutations **of a given multiset** can be numbered (starting from one) in an increasing order.

Task

Write a programme that

- reads the description of a permutation of a multiset and a positive integer *m* from the standard input,
- determines the remainder of the rank of that permutation in the lexicographic ordering modulo m,
- writes out the result to the standard output.

Input

The first line of the standard input holds two integers *n* and *m* ($1 \le n \le 300\,000$, $2 \le m \le 1\,000\,000\,000$), separated by a single space. These denote, respectively, the cardinality of the multiset and ... the number *m*. The second line of the standard input contains *n* positive integers a_i ($1 \le a_i \le 300\,000$), separated by single spaces and denoting successive elements of the multiset permutation.

Output

The first and only line of the standard output is to hold one integer, the remainder modulo m of the rank of the input permutation in the lexicographic ordering.

Example

For the input data: 4 1000 2 1 10 2 the correct result is: 5

All the permutations smaller (with respect to lexicographic order) than the one given are: (1,2,2,10), (1,2,10,2), (1,10,2,2) and (2,1,2,10).

Permutation