

Task: SLO

Words



XVI OI, Stage III, Day one. Source file `slo.*` Available memory: 64 MB.

01.04.2009

Let h be a function acting on strings composed of the digits 0 and 1. The function h transforms the string w by replacing (independently and concurrently) every digit 0 with 1 and every digit 1 with the string „10”. For example $h(„1001”) = „101110”$, $h(„”) = „”$ (i.e. h assigns an empty string to the empty string). Note that h is an injection, or a one-to-one function. By h^k we denote the function h composed with itself k times. In particular, h^0 is the identity function $h^0(w) = w$.

We are interested in the strings of the form $h^k(„0”)$ for $k = 0, 1, 2, 3, \dots$. This sequence begins with the following strings:

„0”, „1”, „10”, „101”, „10110”, „10110101”.

We call the string x a *substring* of the string y if it occurs in y as a contiguous (i.e. one-block) subsequence. A sequence of integers k_1, k_2, \dots, k_n is given. Your task is to check whether a string of the form

$$h^{k_1}(„0”) \cdot h^{k_2}(„0”) \cdot \dots \cdot h^{k_n}(„0”)$$

is a substring of $h^m(„0”)$ for some m .

Input

The first line of the standard input contains a single integer t , $1 \leq t \leq 13$, denoting the number of test units. The first line of each test unit's description contains one integer n , $1 \leq n \leq 100\,000$. The second line of each description holds n non-negative integers k_1, k_2, \dots, k_n , separated by single spaces. The sum of the numbers in the second line of any test unit description does not exceed 10 000 000.

Output

Your programme should print out t lines to the standard output, one for each test unit. Each line corresponding to a test unit should contain one word: **TAK** (*yes* in Polish — if $h^{k_1}(„0”) \cdot h^{k_2}(„0”) \cdot \dots \cdot h^{k_n}(„0”)$ is a substring of $h^m(„0”)$ for some m in that test unit, or **NIE** (*no* in Polish) otherwise.

Example

For the input data:

```
2
2
1 2
2
2 0
```

the correct result is:

```
TAK
NIE
```

Explanation of the example: The string from the first test unit is „110” — it is a substring of $h^4(„0”) = „101110”$ for example. In the second test unit there is a string „100”, which is not a substring of $h^m(„0”)$ for any m .